

QUINTO

Linear downlight family



Fixed

Adjustable

Trimless

IP65



GAMMA
ILLUMINATION



QUINTO

GAMMA
ILLUMINATION

Designed to satisfy the latest trend for discreet lines of light in a downlight form. The QUINTO family is a high output, low glare luminaire ideal for both general and accent lighting in high-end professional applications. Designed, manufactured and tested in the UK, the QUINTO is available in a choice of colours and forms or can be tailored to your specification.



QUINTO



Fixed


The low profile bezel provides a discreet, minimal presence in any application.

Adjustable

The internal pivoting adjustment allows precisely directed illumination on displays, walls and objects.


IP65

Sealed to IP65 to ensure protection when installed in environments exposed to water or dust debris.



Trimless

Uninterrupted clean lines when the luminaire is plastered in to become an integral part of the ceiling.



Baffles

Individual baffles allow the deep installation of the LEDs and promote the benefits of high output combined with low glare.

Bezel colours

White, black or grey as standard, also available in any other RAL colour.



Emergency options

Standard, self-test or DALI EM versions offer a practical solution in a stylish contemporary luminaire.



Lens options

Precision optics sealed to IP44 with a choice of 10°/15°/30°/50°

Baffle colours

Black, white or gold as standard, also available in any other RAL colour.





QUINTO



1 Light Source

Model	5 optic	10 optic
Luminaire output	525 / 1050 llm	1050 / 2100 llm
Colour temperatures	3000 / 4000 K	3000 / 4000 K
Colour rendering	Ra80 / 90	Ra80 / 90
Lens angles	10° / 15° / 30° / 50°	10° / 15° / 30° / 50°
Touch dimming / DALI / 1-10 V	•	•
EM / DALI EM	•	•
Bluetooth wireless	•	•

2 Body options

Model code	5 optic	10 optic
Fixed	AFE	AFE
Trimless	AFE/PI	AFE/PI
IP65	AFE/65	-
Adjustable	AFF	AFF


3 Baffle options



Black



White



Gold

4 Bezel options



Brilliant white RAL9016



Black RAL9005




Grey RAL9006

Fixed: 175 mm
Trimless: 156 mm
Adjustable / IP65: 195 mm



Fixed: 50 mm
Trimless: 35 mm
Adjustable: 80 mm

Fixed: 330 mm
Trimless: 312 mm
Adjustable: 349 mm





Gamma Illumination

Thornhill Road Business Park
Tenter Fields
Dewsbury
West Yorkshire
WF12 9QT
United Kingdom

+44 (0)1924 482777
sales@gamma-uk.com

www.gamma-uk.com

